

# POSTAL Book Package

# 2021

## Computer Science & IT

### Objective Practice Sets

#### Theory of Computation

#### *Contents*

Sl.	Topic	Page No.
1.	Grammars, Languages & Automata .....	2
2.	Regular Languages & Finite Automata .....	8
3.	Context Free Languages & Push Down Automata .....	33
4.	REC, RE Languages & Turing Machines, Decidability .....	44



**MADE EASY**  
Publications

**Note:** This book contains copyright subject matter to MADE EASY Publications, New Delhi. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means. Violators are liable to be legally prosecuted.

# Grammars, Languages & Automata

**Q.1** Suppose  $L_1 = \{10, 1\}$  and  $L_2 = \{011, 11\}$ . How many distinct elements are there in  $L = L_1 L_2$ .

- (a) 4 (b) 3  
(c) 2 (d) None of these

**Q.2** In a string of length  $n$ , how many proper prefixes can be generated

- (a)  $2^n$  (b)  $n$   
(c)  $\frac{n(n+1)}{2}$  (d)  $n-1$

**Q.3** Let  $u, v, \in \Sigma^*$  where  $\Sigma = \{0, 1\}$ . Which of the following are TRUE?

1.  $|u.v| = |v.u|$
  2.  $u.v = v.u$
  3.  $|u.v| = |u| + |v|$
  4.  $|u.v| = |u||v|$
- (a) 1 and 3 (b) 1, 2 and 3  
(c) 2 and 4 (d) 1, 2 and 4

**Q.4** How many odd palindromes of length 11 are possible with alphabet  $S = \{a, b, c\}$

- (a)  $3^6$  (b)  $2^5$   
(c)  $2^6$  (d)  $3^5$

**Q.5** The number of distinct subwords present in 'MADEEASY' are \_\_\_\_.

**Q.6** Consider the following statements:

1. Type 0 grammars generate all languages which can be accepted by a Turing machine.
2. Type 1 grammars generate the languages which can all be recognised by a push down automata.
3. Type 3 grammars have one to one correspondence with the set of all regular expressions.
4. There are some languages which are not accepted by a Turing machine.

Which of the above statements are TRUE?

- (a) 1, 2 and 3 (b) 1, 2 and 4  
(c) 1, 3 and 4 (d) 2, 3 and 4

**Q.7** Consider the following table of an FA:

$\delta$	$a$	$b$
start	$q_1$	$q_0$
$q_0$	$q_1$	$q_0$
$q_1$	$q_2$	$q_1$
$q_2$	$q_3$	$q_2$
$q_3$	$q_4$	$q_3$
$q_4$	$q_4$	$q_4$

If the final state is  $q_4$ , the which of the following strings will be accepted?

1.  $aaaaa$
  2.  $aabbaabbbbb$
  3.  $bbabababbb$
- (a) 1 and 2 (b) 2 and 3  
(c) 3 and 1 (d) All of these

**Q.8** Which of the following statements is correct?

- (a) Some finite automatas accept non regular languages.
- (b) A grammar with recursion always generates infinite languages.
- (c) An infinite language can be generated by a non recursive grammar.
- (d) A deterministic push down automata cannot generate all context free languages.

**Q.9** The grammar with start symbol  $S$  over  $\Sigma = \{a, b\}$   $S \rightarrow aSbbl abb$  belongs to the class

- (a) Type 0 (b) Type 1  
(c) Type 2 (d) Type 3

**Q.10** What is the language generated by the grammar where  $S$  is the start symbol and the set of terminals and non terminals is  $\{a\}$  and  $\{A, B\}$  respectively?

$S \rightarrow Aa$

$A \rightarrow B$

$B \rightarrow Aa$

- (a) Set of strings with atleast one  $a$   
(b) Set of strings with even no. of  $a$ 's  
(c) Set of strings with odd no. of  $a$ 's  
(d) Empty language

**Q.24** Which of the following conversions is not possible?

- (a) Regular grammar to context free grammar
- (b) NFA to DFA
- (c) Non deterministic PDA to deterministic PDA
- (d) Non deterministic Turing machine to deterministic Turing machine

**Q.25** If  $S = \{ab, ba\}$ , which of the following is true?

- (a)  $S^*$  contains finite no of strings of infinite length.
- (b)  $S^*$  has no strings having 'aaa' or 'bbb' as substring.
- (c)  $S^*$  has no strings having aa as substring.
- (d) If  $T = \{a, b\}$ , then  $S^* \not\subseteq T^*$ ,

■■■■

### Answers Grammars, Languages & Automata

- |         |         |         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1. (b)  | 2. (b)  | 3. (a)  | 4. (a)  | 5. (34) | 6. (c)  | 7. (a)  | 8. (d)  | 9. (c)  |
| 10. (d) | 11. (c) | 12. (d) | 13. (d) | 14. (c) | 15. (c) | 16. (b) | 17. (3) | 18. (d) |
| 19. (b) | 20. (d) | 21. (b) | 22. (c) | 23. (a) | 24. (c) | 25. (b) |         |         |

### Explanations Grammars, Languages & Automata

**1. (b)**

$$L_1 = \{10, 1\},$$

$$L_2 = \{011, 11\}$$

By concatenation of  $L_1$  and  $L_2$  we get

$$L_1 \cdot L_2 = \{10011, 1011, 1011, 111\}$$

Hence, 3 distinct elements are there.

**2. (b)**

Suppose,  $S = aaab$ ,  $|s| = 4$ . The prefixes are  $S_p = \{\lambda, a, aa, aaa, aaab\}$ . Here  $aaab$  is not a proper prefix.

**Note:** The proper prefix of string  $S$  is a prefix, which is not same as string  $S$ .

A string of length 4 has 4 proper prefixes. A string of length 5 has 5 proper prefixes. For a string of length  $n$ , therefore we can have ' $n$ ' proper prefixes.

**3. (a)**

$$\begin{aligned} \text{Let, } u &= 1001 \text{ and } v = 001 \\ u.v &= 1001001 \text{ and } v.u = 0011001 \end{aligned}$$

$$|u, v| = |v, u| = |u| + |v|$$

$$\text{But } u.v \neq v.u$$

**4. (a)**

Palindromes can be represented by  $\{WW^R \mid W \in \{a, b, c\}^*\}$

$$\{WxW^R \mid W \in (a, b, c)^*, x \in (a, b, c)\}$$

Since, we need to count the number of odd palindromes of length 11, the number of possible  $W$ 's of length 5 are  $|\Sigma|^5$  i.e.  $3^5$

Number of possible ways for  $x = 3$

$$\therefore \text{Number of odd palindromes of length 11} = 3^5 \times 3 = 3^6$$

Number of odd palindromes of length,

$$n = \left\lfloor \frac{n-1}{2} \right\rfloor \times |\Sigma| + \left\lfloor \frac{n+1}{2} \right\rfloor$$

**5. (34)**

Distinct subwords of


Length 1 = 6	Length 5 = 4
Length 2 = 7	Length 6 = 3
Length 3 = 6	Length 7 = 2
Length 4 = 5	Length 8 = 1

$$\therefore \text{Total} = 34$$

**6. (c)**

See Chomsky Hierarchy languages, which are not recursively enumerable are not recognised by any machine.

**7. (a)**



Drawing the FA we have

we can clearly see that only (i)  $aaaaa$  and (ii)  $aabbaabbbbbb$  are accepted.

8. (d)

- (a) is false since a FA can accept only regular languages as it has finite memory only.
- (b) is false consider the grammar  $\{S \rightarrow Sa\}$  which is recursive. It generates the empty languages i.e.  $\phi$  which is finite.
- (c) is false. To generate an infinite language, the grammar must have recursion.
- (d) True DPDA cannot generate all CFLs. It generates a subset of CFLs called DCFLs. DPDA has less recognition power than a PDA.

9. (c)

The given grammar is Type 2 as every rule is restricted as:

$$V \rightarrow (VUT)^*$$

where  $V$  is the set of non-terminals and  $T$  is set of terminals.

10. (d)

Since there is no string which can be generated from the grammar in finite number of steps as there is no termination, (d) is true.

11. (c)

If the sequence has even length say,  $n = 2k$ , selecting the first  $k$  characters completely determines the palindrome since the remaining  $k$  characters can be found by repeating the sequence in the reverse order. Number of palindromes of even length at most  $n$  in alphabet with  $x$  characters is

$$x^0 + x^1 + x^2 + \dots + x^k = \frac{-1 + x^{k+1}}{x - 1}.$$

Here,  $x = 3$  and  $k = 5$

$\therefore \frac{3^6 - 1}{2}$  is the number of palindromes of length at most 10.

12. (d)


$$L_1^* = \{\phi\}^* = \{\lambda\}$$

$$L_2^* = \{1\}^* = 1^*$$

$$L_1^* \cup L_2^* L_1^* = \{\lambda\} \cup \{1\} \cdot 1^* = 1^*$$

13. (d)

$L_1$  is the set of all strings where any number of  $a$ 's is followed by an equal number of  $b$ 's.



$L_2$  is the set of all strings where an even number of  $a$ 's is followed by an equal number of  $b$ 's.

$$\therefore L_2 \subseteq L_1$$

$$L_2 \cap L_1 = L_2$$

$$L_2 \cup L_1 = L_1$$

$L_1 - L_2 =$  (Set of all strings where an odd number of  $a$ 's is followed by an equal number of  $b$ 's)

$$L_2 - L_1 = \phi$$

14. (c)

$$L_1 = \{a^n b^n c^n, n \geq 0\}$$

$$= \{\lambda, abc, a^2b^2c^2, \dots\}$$

$$L_2 = \{a^{2n} b^{2n} c^{2n}, n \geq 0\}$$

$$= \{\lambda, a^2b^2c^2, a^4b^4c^4, \dots\}$$

$$L_3 = \{a^{2n} b^{2n} c^n, n \geq 0\}$$

$$= \{\lambda, a^2b^2c, a^4b^4c^2, \dots\}$$

as we can easily see that

(i)  $L_1$  contains all the words generated by  $L_2$  and also it contains some extra strings.

$$\therefore L_1 \supseteq L_2. \text{ (or } L_2 \subseteq L_1)$$

(ii) Since only  $\lambda$  is common in  $L_2$  and  $L_3$   
Hence  $L_2 \not\subseteq L_3$ .

15. (c)

$L^*$  is a combination of strings in  $L$ .

1. abaabaaabaa = ab aa baa ab aa belongs to  $L^*$ .
2. baaaaabaa = baa aa ab aa belongs to  $L^*$ .
3. baaaaabaaaab = baa aa ab aa aa b does not belong to  $L^*$ .
4. aaaabaaaa = aa aa baa aa belongs to  $L^*$ .

16. (b)

Both prefix and suffix consists of  $\epsilon$  and  $L$ .

However in case of binary alphabet, for instance,  $\text{prefix}(L) = \text{suffix}(L)$

$$\therefore \text{Prefix}(L) \cap \text{suffix}(L) \supseteq \{\epsilon, L\}$$

**17. (3)** $L_1$  can be represented by  $a^*b^*$ 

$$L_1^* = (a^*b^*)^* = (a + b)^*$$

$$L_2 = (ba)$$

$$L_1^* n L_2 = [(a + b)^*] n (ba) \\ = (ba)$$

$$\text{Prefix, } (L_3) = (\epsilon, b, ba)$$

**18. (d)**

(a) is false as 'aaa' is generated by the grammar.

(b) is false as 'aa' is generated.

(c) is false as 'aaa' is generated.

A generates the language represented by  $a^* \{0 \text{ or more } a's\}$ S generate  $aaa^*$ **19. (b)** $L_1$  is the set of strings where zero or more  $a$ 's is followed by zero or more  $b$ 's. $L_2$  is the set of strings where zero or more  $b$ 's is followed by zero or more  $a$ 's. $L_1 n L_2$  - Set of strings of only  $a$ 's or only  $b$ 's including the NULL string  $\lambda$ .

$$\therefore L_1 n L_2 = \{a^* + b^*\}$$

$$\text{Note: } a^*b^* = a^+b^+ + a^* + b^*$$

$$b^*a^* = b^+a^+ + a^* + b^*$$

**20. (d)** $L = \{a^n b^m \mid n, m \geq 0\}$  i.e. the number of  $a$ 's and number of  $b$ 's are independent. $\therefore L$  is a regular language.

$$L_1 = \{\epsilon, a, aa, aaa, \dots\}$$

$$L_2 = \{\epsilon, b, bb, bbb, \dots\}$$

$$L_3 = L_1 L_2 = \{\epsilon, ab, abb, abbb, aab, \dots\}$$

**21. (b)****1. False****Case (i)**  $L$  is finiteWe know that  $\Sigma^*$  is infinite

$$\bar{L} = \Sigma^* - L$$

 $\therefore \bar{L}$  must be infinite as it is obtained by removing a finite number of string from an infinite set.**Case (ii)**  $L$  is infinite $\Sigma^*$  is infinite

$$\bar{L} = \Sigma^* - L$$

 $\therefore \bar{L}$  may be finite or infiniteFrom above, in any case, both  $L$  and  $\bar{L}$  cannot be finite.**2. False**

$$\lambda \in L^*$$

$$\Rightarrow \lambda \notin (\bar{L}^*)$$

But  $(\bar{L})^*$  must contain  $\lambda$ .

$$\therefore \text{No language satisfies } (\bar{L}^*) = (\bar{L})^*$$

**3. True**Let  $u \in L_1, v \in L_2$ 

$$L_1 L_2 = \{uv\}$$

$$(L_1 L_2)^R = (uv)^R = v^R u^R$$

$$= (L_2)^R (L_1)^R \forall u, v$$

**4. True**For all  $\Sigma$ (i)  $L^* \subseteq (L^*)^*$ . This is because  $L^* = \{w_1, w_2, \dots\}$  and therefore  $\{w_1, w_2, \dots\} \subseteq \{w_1, w_2, \dots\}^*$ .(ii)  $(L^*)^* \subseteq L^*$ . For every  $w \in (L^*)^*$ , we can decompose it as $w = w_1 w_2 w_3 \dots w_n$  such that each  $w_i \in L^*$ . Similarly we can decompose  $w_i$  such that  $w_i = w_{i1} w_{i2} w_{i3} \dots w_{iN_i}$  where  $w_{ij} \in L$ . So,  $w \in L^*$ Now,  $w = w_{11} w_{21} w_{31} \dots w_{1N_1} w_{2N_2} \dots w_{2N_2} \dots$ where  $w_{ij} \in L$ So  $w \in L^*$ From (i) and (ii)  $L^* = (L^*)^*$  $[L^*$  is the combination of strings in  $L]$ **22. (c)**

$$L = \{\lambda, a, aa, aaa, \dots\}$$

$$L^2 = L, L = \{\lambda, a, aa, aaa, aaaa, \dots a^n\}$$

 $\therefore L^2$  is the set of all strings over  $\Sigma$ **23. (a)**For strings belonging to  $L^5$ , they should be a combination of exactly 5 strings  $\in L$ .Since  $L$  contains  $\lambda$ , the strings in  $L^5$  should be a combination of atmost 5 non null strings which belong to  $L$  as the remaining component could be the null string.(a) 110010 = 1 10 01 0 does not belong to  $L^5$ (b) 101001001 = 10 10 01 001 belong to  $L^5$ (c) 100100 = 10 01 0 0 belongs to  $L^5$ (d) 01101001 = 01 10 10 01 belongs to  $L^5$